



The National
Orthodox School
Shmaisani

Key answer

Worksheet (3) | Lower Secondary Stage (6-8)

1st Semester | 2023-2024

Name:

Subject: math

Date: / /

Class: Grade 8

Objective: *Factorise by grouping*

- Goal: To be able to factor polynomials with 4 terms by grouping

Steps for factoring by grouping:

1. A polynomial must have 4 terms to factor by grouping.

$$\text{ex. } x^3 + x^2 + 2x + 2$$

2. We factor the first two terms and the second two terms separately. Use the rules for GCF to factor these.

$$\begin{array}{l} \text{The GCF of } x^3 + x^2 \text{ is } x^2. \quad (x^3 + x^2) \\ \text{The GCF of } x^2(x+1) \text{ is } x^2. \quad | +2(x+1) \\ x^2(x+1) \quad | +2(x+1) \end{array}$$

3. Finally, we factor out the "common factor" from both terms. This means we write the $(x+1)$ term in front and the 2 terms left over, x^2+2 , in a separate set of parentheses.

$$(x+1)(x^2 + 2)$$

Accredited by



Cambridge Assessment
International Education
Cambridge International School

edexcel

CIS
COUNCIL OF
INTERNATIONAL
SCHOOLS

ib
INTERNATIONAL
BACCALAUREATE®

الدارس الخصوصية

Eco-Schools

مختتمدة من

Factoring by Grouping

Use when there are 4 Terms

Example (1):

$$x^3 + x^2 + x + 1$$

$$(x^3 + x^2) + (x + 1)$$

$$x^2(x + 1) + 1(x + 1)$$

$$(x + 1)(x^2 + 1)$$

Example (2):

$$8x^3 + 2x^2 + 12x + 3$$

The GCF of
 $8x^3 + 2x^2$ is $2x^2$.

$$\begin{array}{r} (8x^3 + 2x^2) \\ \hline 2x^2(4x + 1) \end{array} + (12x + 3)$$

The GCF of
 $12x + 3$ is 3 .

$$= (4x + 1)(2x^2 + 3)$$

Example (3):

$$4x^3 - 6x^2 - 6x + 9$$

The GCF of
 $4x^3 - 6x^2$ is $2x^2$.

$$\begin{array}{r} 4x^3 - 6x^2 \mid +6x + 9 \\ 2x^2 (2x - 3) \mid -3(2x - 3) \end{array}$$

The GCF of
 $-6x + 9$ is -3 .

When you factor a negative out of a positive, you will get a negative.

$$= (2x - 3)(2x^2 - 3)$$

EXERCISE :

Factor completely if possible...

1 $5ab + 10a + 7b + 14$

$$(5ab + 10a) + (7b + 14)$$

$$5a(b+2) + 7(b+2)$$

$$(b+2)(5a+7)$$

3 $x^3 + 2x^2 + 3x + 6$

$$(x^3 + 2x^2) + (3x + 6)$$

$$x^2(x+2) + 3(x+2)$$

$$(x+2)(x^2 + 3)$$

2 $6m^3 - 12mn + m^2n - 2n^2$

$$(6m^3 - 12mn) + (m^2n - 2n^2)$$

$$6m(\underline{m^2 - 2n}) + n(\underline{m^2 - 2n})$$

$$(m^2 - 2n)(6m + n)$$

4 $4s^2 - s + 12st - 3t$

$$(4s^2 - s) + (12st - 3t)$$

$$s(\underline{4s-1}) + t(\underline{4s-1})$$

$$(4s-1)(s+3t)$$

5

$$y - 2y^2 - 18y + 9$$

$$y - 2y^2 + -18y + 9$$

$$= y(1-2y) + 9(-2y+1)$$

$$= [(-2y+1)(y+9)]$$

7

$$2m(7m-3) + 4(3-7m)$$

$$(7m-3)(2m-4)$$

↓ factorise

$$(7m-3) 2(m-2)$$

$$\Rightarrow 2(7m-3)(m-2)$$

9

$$a(r-t) + m(t-r)$$

$$(r-t)(a+m)$$

$$(r-t)(a-m)$$

6

$$\underline{48ab} - \underline{90a} + \underline{32b} - 60$$

$$(48ab-90a) + (32b-60)$$

$$6a(8b-15) + 4(8b-15)$$

$$(8b-15)(6a+4)$$

$$(8b-15) 2(3a+2)$$

8

$$\rightarrow (2(8b-15)(3a+2))$$

$$(15x-5xy) + (6y^2-18y)$$

$$= 5x(3-y) + 6y(y-3)$$

$$= (3-y)(5x-6y)$$

10

$$\underline{2t} - \underline{14st} + \underline{7st^2} - \underline{t^2}$$

$$(2t-14st) + (7st^2-t^2)$$

$$2t\cancel{(1-7s)} + t^2\cancel{(7s-1)}$$

$$(1-7s)(2t-t^2)$$

factorise

$$(1-7s)t(2-t)$$



$$t(1-7s)(2-t)$$